

RESTROOM AGREEMENT

Food Service Establishment Application

SUBMITTAL DATE	DATES OF USAGE (1 YEAR MAXIMUM)	
	<i>From</i>	<i>To</i>

By signing this agreement, the owner of the restroom facility certifies that the restroom meets all the standards of the Washington State Retail Food Code, [Chapter 246-215 Washington Administrative Code](#).

RESTROOM FACILITY INFORMATION

<i>Name of facility</i>	<i>Contact phone</i>
<i>Facility address (city, state, zip)</i>	
<i>Email</i>	
<i>Facility owner printed name</i>	
<i>Facility owner signature</i>	<i>Date</i>

APPLICANT INFORMATION

<i>Business/vendor name</i>	<i>Contact phone</i>
<i>Mailing address (city, state, zip)</i>	
<i>Email</i>	
<i>Business owner printed name</i>	
<i>Business owner signature</i>	<i>Date</i>

RESTROOM ACCESSIBILITY INFORMATION (CHECK ALL THAT APPLY)

<input type="checkbox"/> Hot water at handwash sink(s) at or above 100°F <input type="checkbox"/> Hand soap <input type="checkbox"/> Disposable paper towels <input type="checkbox"/> For mobile units, distance from mobile unit to restroom is 500 feet or less. For all other establishments, distance from establishment to restroom is 200 feet or less.	<input type="checkbox"/> Required sign to notify food employees to wash their hands <input type="checkbox"/> Key accessibility (if applicable) <input type="checkbox"/> If customer seating is offered, a plumbed restroom allowing customer access must be available within 500 feet of seating.
--	---

CERTIFICATION AND ACKNOWLEDGMENT

By signing above, I certify that the information provided is true and accurate to the best of my knowledge. I understand that:

- ✓ **This agreement is a condition of the operating permit and is subject to approval by Kitsap Public Health District (KPHD).** Should either party terminate the agreement, the permit of the food service business will be suspended, and all food and beverage operations shall cease until the owner/operator of the permit secures the services of another approved restroom facility and a signed agreement is provided to KPHD.
- ✓ The restroom must be available for an inspection by the Kitsap Public Health District during inspections of the food service establishment.
- ✓ The operating hours of the food service establishment are limited by the availability of the restroom. I must close the establishment if the restroom becomes unavailable.

HEALTH DISTRICT REVIEW

Reviewed and accepted by:

Environmental Health Specialist

Date